DuraPost®

DURAPOST COMMERCIAL POST





DuraPost is a patented fence post system. Lightweight yet stronger and more durable than traditional fence posts, the 'Commercial' DuraPost offers a maintenance free fence post solution for commercial applications.

Made with 2.5mm steel compared to the 1.5mm classic version, the commercial DuraPost offers superior strength for higher fencing applications. The post is available in 2.4m, 3.0m, 3.4m, 4.0m and 5.0m lengths making it scalable for fencing projects up to 4m above the ground.

CONSTRUCTION

Constructed from cold rolled pre-galvanised (DX51D Z275NA-C) steel, manufactured to EN 10346. For powder coating please contact us, available on quantity demand.

FINISH



DURABILITY TESTING

DuraPost has been durability tested to EN 1794-1-2018 with wind speeds of up to 90mph (static load tested to 1,000kg/9810N).

DuraPost [®] COMMERCIAL TESTING	DATA	
Static Load Testing	1000kg / 9,810N	
Commercial DuraPost testing was carried out on 3.0m posts, with 2.4m above ground at 1.2m centres.		

DuraPost [®] Commercial Fence Post					
LENGTH (MM)	SIZE (MM)	FINISH	MIN. ORDER QTY	CODE	
2400	74 x 72.5	Galvanised	1	813 2401	
3000	74 x 72.5	Galvanised	1	813 3001	
3400	74 x 72.5	Galvanised	1	813 3401	
4000	74 x 72.5	Galvanised	1	813 4001	
5000	74 x 72.5	Galvanised	1	813 5001	

PATENTED

REGISTERED COMMUNITY DESIGN




005518057-001


006429171-001

Tel: 0345 450 9000 Fax: 0345 450 9085 Email: mail@birkdalesales.com

WE'RE ALWAYS OPEN AT **birkdalesales.com**

DuraPost®





STORAGE INFORMATION

Manufactured in lengths of 2.4m, 3.0m, 3.4m, 4.0m and 5.0m all DuraPost fence posts come palletised. The patented design provides a high strength and low weight solution.

FENCE POSTS	WEIGHT (PER POST)	PALLET QTY'S
2.4	16.55kg	75
3.0	20.69kg	60
3.4	23.45kg	55
4.0	27.58kg	45
5.0	34.47kg	35

DURAPOST POWDER COATING

Powder coating is mainly used for the coating and protection of metals. Polyester powder coating is a type of coating that is applied as a free-flowing dry powder.

Unlike conventional liquid paint which is delivered via an evaporating solvent, powder coating is typically applied electrostatically and then cured under heat or with ultraviolet light.

The powder is a thermoset polymer, which is used to create a hard finish that is tougher than conventional paint. Polyester Powder Coatings offer durable decorative finishes in a wide range of colours, textures and gloss levels. They are formulated to provide maximum corrosion resistance, colour stability and gloss retention. They are suitable for interior and exterior use and entirely T.G.I.C free (triglicydyl isocyanurate crosslinkers).

All items are coated in accordance with BS-13438.

Our powders have certificated industry standard approval which are available on request.

Pre-Treatment

To ensure the best adhesion for coatings, all products undergo an eight-stage extensive pre-treatment process. As part of this process DuraPost use the premier brand for surface technology and process solutions that create competitive advantages across the industrial manufacturing marketplace.

Trusted for reliability, sustainability and proven results, our processes deliver superior operational efficiency. DuraPost use the latest conversion coating technologies that perform well on all standard substrates of steel, zinc and aluminium. They significantly reduce the environmental impact, while their corrosion performance meets metal finishing specifications for powder coated metal substrates.


Tested

All powder coatings are salt spray test to 1,000 hours to BS 3900F4, impact resistance to BS 3900E3, scratch resistance to BS 3900E2, and humidity minimum 1,000 hours to BS3900F2.


Tel: 0345 450 9000 Fax: 0345 450 9085 Email: mail@birkdalesales.com

WE'RE ALWAYS OPEN AT **birkdalesales.com**


2.4 METER POST DIMENSIONS




3.0 METER POST DIMENSIONS




3.4 METER POST DIMENSIONS



4.0 METER POST DIMENSIONS



5.0 METER POST DIMENSIONS



WE'RE ALWAYS OPEN AT **birkdalesales.com**

Tel: 0345 450 9000 Fax: 0345 450 9085 Email: mail@birkdalesales.com

DuraPost®